

Steering Wheel

The Delta 21 Steering Wheel 8+ contains 3 different 3D games that are challenging for kids from 8 years and older. In the main menu, you can choose one of the three games. By turning the steering wheel, you can navigate between the different games. The cabinet suits in any room and with any interior. The steering wheel and neutral white look makes this a real eye-catcher for your business!

Our interactive play systems are:

- Easy-to-clean
- Extremely strong and durable
- Energy-efficient



Interactive | Delta 21 inch Steering Wheel

Article no.	Frame colour	Colour code	Size HxWxD	Mounting	Age	KG	Icons
IN00218	White	RAL 9003	56,9x60x18,4 cm	wallmount	4 - 12 years	15 KG	MDF,steel,Stainless steel, PF, PP

Included software

Steering Wheel

Technical specifications

Power supply	100-240V ~ 1.5A max. 360W
Resolution	1920x1080
Touchscreen	Non-touch
Glass type	4mm toughened glass. Surface hardness 7H.



TÜV SGS All our products are inspected, tested and certified by SGS and TÜV.



European standard EN 71 specifies safety requirements for toys. Compliance with the standard is legally required for all toys sold in the European Union.



All our products only use FSC certified wood, so eco- and environment friendly!





Our products conform with health, safety and environmental protection standards for products sold within the EU.


IKC | HQ EUROPE
 Dronten | The Netherlands
 +31 (0)321 38 77 30
 sales@ikcplay.com
 www.ikcplay.com

IKC | HQ ASIA
 Shanghai | China
 +86 (0) 21 6506 1232
 sales.cn@ikcplay.com
 www.ikcplay.com.cn




Cabinet



Required tools



Screws





S35




If the product comes already assembled, skip to next page.

Do NOT use screws longer than 12mm!





First, remove the front plate by unscrewing these four screws.




Power requirements

12V DC

Two possible ways to mount the product to the wall.


(1) Power socket within frame. (2) Power socket outside frame.



S16



For optimum play comfort, we recommend to mount the product 40 cm from the ground



S9 PRI

